Sl. No.:

## 2013 AYURVEDIC MEDICINE (Degree Standard)

	Time Allowed: 3 Hours]	,	[Maximum Marks :
	The Author of Ashtanga nigantu - Kaya deva Batha charya	(B) (D)	Madhava kara Indukara Madhava
	Tatva Pradeepika is the commentry of Susrutha Samhita Charaka samhita	(B) (D)	Yoga Ratra Kara Astanga Hridayam
3. (A) (C)	Khila sthana occurs is which text? Bhava prakasha nighantu Ashtanga sangraha	(B) (B)	Madhava nidanam Kashyapa Samhitha
	Trividha bhala according to Acharya Vathaja, Pittaja, Kaphaja Ahara, Vihasa, Oushadha	Chara (B)	l <b>ka are -</b> Kostaja, Shakaja, Dhaluja Sahaja, Kalaja, Yukthikrutha
5. (A) (C)	Lakshara according to padartha vign Uddeshya Prameya	ana is (B) (D)	defined as - Asadharana Dharma Pareeksha
6.	Akasha maha bhootha is NOT includ	ded un	der bhoutika tatwas
(A) (C)	according to - Jaina darshana Bhoudha darshana	(B) (D)	Charvaka darshana Shoonya vada
7.	A plot of land where the night soil is is called -	dispos	ed off by burying it in the soil
(A) (C)	Incineration Pit latrine	(B)	Dumping depot Trenching ground

(A)	Vesavara belongs to - Jala Varga Mamsa Varga	(B) (D).	Mruga Varga Ikshu Varga
	The length of Anjana Shalaka is: 10 angulas 12 angulas	(B) (D)	11 angulas 13 angulas
•	The statement that increased pitta protestes in the mouth is according to -Acharya Drudabala  Sage Kapilabala	(B) (D)	Acharya Sushrutha Acharya charaka
	Aarambaka vada is originated by - Charaka Vagbata	(B) (D)	Susrutha Kasyapa
(A)	Findout the "Trieshana" In the follo Prana - Oja . Teja Dharama - Artha - Kama	wing - (B)	Hethu - Lingha - Oushadham Prana - Dhana - Paraloka
(A)	According to "Astanga Hridayam" is Jwara & Raktapitta Pandu & Bharama	mprop (B)	ver use of 'Curd' leads to :- Visarpa & Kushta All of these
(A)	The seat of Bhrajaka pitha is: Eyes Skin	(B) (D)	Intestines Heart
LAT .	The dosha which helps in perceiving Bodhaka kapha Kledaka Kapha	(B) (D)	este is : Pachaka pitha Samang Vayu
16. (A)	The kshaya, prakopa, prashawana ka Greeshma, Varsha, Saradh Vasantha, Greeshma, Varsha	alas of (B) (D)	vatha dosha - Varsha, Sarad, Hemnath Sisira, Vasantha, Greeshma

•

17.	Sira is originate from as per Susrutha	-	
(A)	Vatha-Medho-Sneha-Pitha-Ushna	(B)	Vatha - Medho - Pitha- Ushna- Kapha
(C)	Pitha-Raktha-Sleshma-Vatha-Kapha	(D)	Sonitha - Kapha - Raktha - Meda — Ushna
18.	According to Susrutha, name of the 6	ith lay	er in skin is :
(A)	Lohitha	(B)	Swetha
(X)	Rohini	(D)	Tamra
19.	Manipuraka chakra is located in -		
	Cervical Region	(B)	Chest Region
(X)	Umbilical Region	(D)	Iliac Region
20.	The 'Trimarmas' are -		
(X)	Shiras , Hrudayam , Vasthi	(B)	Hrudaya, Nabhi, Vasthi
(C)	Hrudaye, Nabhi, Gudam	(D)	Siras, Nabhi, Gudam
21.	The colour of the fetus is decided by	-	
(A)	Jala mahabhoota	(B)	Pruthvi bhoota
9	Tejas mahabhoota	(D)	Akasha mahabhoota
22.	The pregnant woman is called "Dow	hridin	
(A)	3rd month	(B)	4th month
(C)	6th month	(D)	8th month
23.	Who said that the nabhi is the first so		
A	Paarasarya	(B)	Markandeya
(C)	Sanghya	(D)	Subuddhi gowthama
24.	The seat of Raktha dhara kala -		
(A)	Asthi sandhi	(B)	Bruhat asthi
(C)	Damani	D).	Yakruth, Pleeha, Sira
25.	Infertility is caused by injury to	ma	rma.
(A)	Vitapa marma	(B)	Vidura marma
(C)	Vasthi	(D)	Oorvi marma
26.	The disease occurring in Mamsadha	ra Twa	a <b>k -</b>
(A)	Arshas	(B)	Bagandharam
(2)	Both (A) and (B)	(D)	None of these

27.	Madhyama koshta is related to	dosh	a.	
(AS)	Kapha	(B)	Pitha	
(C)	Vatha	(D)	Maha Srothas	
28.	The principle of 'Eka kala dhatu po	shana s	siddantha' was propounded	
(AY	Aruna datta and Charaka	(B)	Charaka and Sushrutha	
(C)	Chakrapani Datta and Vagbhata	(D)	Aruna Datta and Dalhana	
29.	The upadathu of Mamsa dathu -	/		
(A)	Arthavam	(B)	Twak	
(C)	Lasika	(D)	Sthanyam	
30.	The quantity of Apara ojus -	_		
(A)	8	(8)	1/2 Anjali	
(C)	3 Anjali	(D)	5 Anjali	
31.	The main symptoms of Kaphaksha	yam -		
(A)	Agni Mandyam	(AS)	Brahma	
(C)	Vamanam	(D)	Hyper Salivation	
32.	2			
(A)	Rasa Dhatu	· (B)	Rakta Dhatu	
(C)	Mamsa Dhatu	(D)	Meda Dhatu	
33.	Chelating agents are widely used as			
·(A)	Rat Bites	(45)	Some heavy metals	
(C)	Certain plant poisons	(D)	Insect bites	
34.	A visha is:			
(A)	Has katu rasa	B	Imbibes the specific taste of the substance in which it exists	
(C)	Lavana Rasa	(D)	Kashaya Rasa	
35.	Which of the following is spinal cor	-		
(A)	, Karaveera	(B)	Dathura	
9	Kuchala	(D)	Vatsanabha	
36.	The poison of cobra causes -	_		
	Vasculo - Toxicity	DY	Neuro - Toxicity	
(A)	Vasculo - Toxicity	العلا	1100,00 10,000,000	
	Renal – Toxicity	(D)	All of these	

3	7. Which part of Gunja is toxic?		
(1	A) Root	(B)	Leaves
بر	S Seeds	(D)	Branches
. 3	8. Which plant has been included amo	ng upv	rishas ?
J.	K) Gunja	(B)	Vatsanabha
((	C) Kalakoota	(D)	Kalinga
3	9. Which among there statement is mo	re acc	urate - with reference to
(/	A) Broken Seeds are non-poisonous	(B)	Castor oil is -poisonous
*	Press cake of castor seed is poisonous	(D)	None of these
4	0. Which of the following is convulsan	t (Aksl	nepa Janan) ?
	K) Kupiloo	(B)	Haritaki
((	C) Jatamamsi	(D)	Vacha
4	1. Which of the following Visha is NO	T natu	ral?
(1	A) Sthavar Vish	(B)	Jangam Vish
ي	Z) Gara vish	(D)	Maha-vish
	2. The toxic dose of Upavisha datura -		
(1	A) 50 - 75 Seeds	$\langle B \rangle$	100 -125 Seeds
((	C) 125 - 150 Seeds	(D)	150 - 200 Seeds
	3. In Sama sannipata Jwara which dos		
(1	A) Vata	(B)	Pitta
2	X Kapha	(D)	All of these
	4. Which among following is included	in Trit	
,	A) Amsa parashva abhitapa	(B)	. Karapada santapa
((	C) Sarvanga Jwara		All of these
	5. In which type of udara roga, Pandu		
	A) Vatodara	(B)	Pittodara
((	C) kaphodara	SON	Pleehodar
	6. Avyakta Roop is the poorva roop of		
	,	(B)	Udar Roga
. ((	C) Pandu Roga	(D)	Unmad

47. (A) (C)	Give the numbers of shooka doshas -6 13	(B)	8 18
48. (A) (C)	Find out the mismatched group in the Vataj, Kaphj - Granthi visarpa Kaph, Pittaj - Kardam visarpa	ne follo (B) (D)	wing - Kaph , Pittaj - Granthi visarpa Vata , Pittaj - Agneya visarpa
49. (A) (C)	Find out the relation which is wrong Amajirna - Visuchika Vishtabdhajirna - Alsaka	(B) (D)	Vidagdhajirna - Vilambika Ras sheshajirna - Amavata
50. (A)	Sapta kalas are - Ras, Rakta, Mans, Meda, Asthi, Majja and shukra Dhara Rakta, Mans,Meda,Shleshma,Pitta,Purish and Shukra Dhara	(B) (D)	Rakta, Mans, Meda, Asthi, Shukra, Oja and mootra Dhara Twak, Rakt, Mans, Meda, Purish, Artav and Kapha Dhara
<b>51.</b> (A) (C)	<b>Arjuna is a -</b> Vatajanya, Rogam Kaphajanya Rogam	(B)	Pithajanya Rogam Rakthajanya Rogam
52. (A) (C)	causes sarkara. Vathajashmari Kaphajasmari	(B)	Pithajashmari Sukhrajasmari
53.	. The are types of Bhaganda	ara.	
(C)	5 3	(B) (D)	<b>4</b> 7
54. (A) (C)	Kha vigunya is theState Poor vavastha Immediate	e of do (B) (D)	sha dooshya sammur chana. Paschath avastha None of these
55. (A) (C)	Alasam means - Amaajeerna Medha vyadi	(B) (D)	, Kshudra vyadhi Haleemakam

.

ر.56	The dominant Dosha in Sheetha pitl	ha -	
(A)	Vatham	(B)	Pitham
(C)	Kapha	(D)	Raktham
57.	According to Susruta, the types of "	Unmad	la" are -
(A)	4	(B)	6
(C)	8	(D)	10
58.	Mashi kalpana' mainly indicated by	Susrut	a in -
	Vata vikaras	(B)	Swasa roga
• •	Visarpa	B	Romajanana
	Varidhara test is used for yo		
	Parpati		Bhasma
(C)	Sindooram	(D)	Kajjali
_	Lepas are of 10 types according to -	(D)	Chamber Cambide
	Astanga sangraha Kaiyadeva nighantu	(B) (D)	. Charaka Samhitha Bhela samhitha
61.	The author of 'Rasendramangala' is	:	
	Charaka		Vagbhata
je)	Nagarjuna	(D)	Sushrutha
62.	Istika Churnam is used for the purif		
• •	Parada	` '	Bhallathaka
(2)	Parada & Bhallathaka	(D)	Himgula
	Which of the following is Adrusyaga	ti of pa	
	Dhumagati	(B)	Malagati
(C)	Jalagati	(B)	Jeevagati
	Tusha is used as fuel in -	<b></b>	
(A)	Mahaputa	(B)	Kapotaputa
(C)	Ulukalaputa	سرواكر	Lavakaputa
<b>65</b> .	Nepalika and Mlecha are the types of	of -	
(A)	Naga	(B)	Vanga
(C)	Loha	( <b>M</b> )	Tamra

66.	Anandha Bhiravarasa is specifically	Indica	ted in -
(A)	Amathisara	(B)	Tridoshaja Athisara
. ,	Rakthathisara	000	Jwarathisara
( )			,
67.	Which parpati is NOT specific for G	Frahani	roga?
(A)		(B)	Vijai parpati
(C)		(DY	Bola Parpati
(13)	Turionalizat Turpud		Dota I di pad
68.	Hinguleshwara rasa is specially indi	cated i	n -
·	Vataja Jwara	(B)	Pittaja Jwara
(0)	Kaphaja Jwara	(D)	Sannipataja Jwara
. (C)	Taphaja j wata	(D)	Samipataja jwata
69.	Reserpine was first discovered in the	veat -	
ar.	1951	•	1952
(C)	1953	(D)	1954
(C)	1933	(D)	1734
70	Leaf of Amalaki is:		
10.	Simple leaf	/B/ :	Commound Loof
(0)		(B)	Compound Leaf.
(C)	Serrated Leaf	(D)	None of these
71.	Which of the following is NOT havi	na lalek	ann action?
	8	ng ieki	
(A)		(D)	Yava
(C)	Madhu	(6)	None of these
72	Danihas acada ara Imarro		
	Danthee seeds are known as -		1 1 1
, ,	Harenuka	(0)	Jayaphala
(C)	Pippali	(D)	Phalapippali
50	NVII 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
73.	Which one is considered by charaka	as the	best among Jivaniya
	Aushadhi is:		** 11
` ,	Ghrita	(B)	Kshira
(C)	Dadhi "	(D)	Mantha
m.1	777		
74.	The main constituent of chyavana p	rasha i	
(A)	Pippali	(B)	Ashtavarga
(C)	Dashamula '	D	Amalakam
		/	
75.	8	at Rak	•
(A)	Guduchi	(B)	Ashvagandha
(CY	Vasa	(D)	Brahmi
/			•

	76. Which one is used in firanga roga?  (A) Chopchini  (B) Kabachini	
	(C) Dalchini (D) Chinaka	
	77. Quinine is a drug of -	
	(A) Animal origin (C) Mineral origin (D) None of these	
	78. The indications of Navayasa churnam -	
	(A) Hrud rogam (B) Pandu (C) Twak Rogam (B) All of these	
	79. Rohini is a type of which drug?	
	(A) Vibhi thaki (C) Katuki (D) Guduchi	
	80. Here cold water is contra indicated - (A) Hikkha (B) Visha	
	(A) Hikkha (B) Visha (C) Bhrama (D) Madathyaya	
,	81. Upajnatha of Rasavaisheshika - (A) Rasa vaghbata  (B) Bhadantha Nagarjuna	
	(C) Sidha nagarjuna (D) None of these	
	82. As per Susrutha vayu bhootha is more related to -	
	(A) Satva (C) Tamas (D) All of these	
	83. Tantra yukti are mentioned in ayurveda and they are as per - (A) Susrutha -32 - Charaka - 36 (B) Susrutha -36 - Charaka - 32	
	(A) Susrutha -32 - Charaka - 36 (B) Susrutha -36 - Charaka - 32 (C) Susrutha -26 - Charaka - 26 (D) Susrutha -36 - Charaka - 36	
	84. Atma gunas are - (A) Anutwam, Ekatwam  (B) Budhi, Prayathnam	
	(C) Uha, Vichara (D) Rajas, Tamas	
,	85. The dravya which neutralises all sorts of food poison is?	
	(A) Patala (C) Bilwa (D) Kantakari	
•		

86.	Vanaspathya dravyas ' are those w	hich are	derived from -
(A)	Birds	(RS)	Plants having both flowers and
(C)	Minorals	(7)	fruits
(C)	Minerals	(D)	Plants having only fruits and no flowers
			no nowers
87.	Major classification of medicines	are in two	o groups. They are -
	Lekhana - Pachana	(B)	Sodhana - Samana
(C)	Brumhana - Deepana	(D)	Langhana - Vrushya
	•		
88.			
(A)		(B)	Dadima
(C)	Karkata	(D)	Both (A) and (B)
89.	Drug of choice in Asthibhagna -		
	Pterocarpus marsupium	(B)	Saraca indica
(2)	Cissus quadrangularis	(D)	Trichodesma indicum
<i>(</i> )	Cloods quadranginario	(D)	Thenodesina indicam
90.	Medo Dhatu Kshaya results in -	,	
(A)	Yakrit vriddhi	(B)	Pleeha vriddhi
(C)	Prameha	(D)	Asthi soola
			•
	Central Council of Indian medicin	ie was es	
(A)		(B)	1971
(C)	1973	(D)	1975
92.	Linganasha - which patala is spec	ifically at	ffected ?
	Prathama	(B)	Dvidiya
(C)	Tritiya	ær e	Chaturtha
( )	,		
93.	Dharana Dharma of the body is do	one by -	
(A)	Rakta dhatu	(B)	Rasa dhatu
SCY	Asthi dhatu	(D)	Mamsa dhatu
- 0.4	<b>N.</b> 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	~·	
	Nadi pariksha introduced for the f		•
(A)	Hemadri	(B)	Sodhala
	Sarangadhara	(D)	Chakrapani
95.	Medico - legal autopsy is ordinarly	v done. o	n requisition of -
(A)	Superintendent of police	(B)	Sub - inspector of police
(C)	Hospital superintendent	(D)	Executive magistrate
	- •	. ,	_

	Rasamanikya is prepared from - Parada Haritala	(B) (D)	Manikya Hingula
97. (A) (C)	•	of - (B) (D)	Vishama Jwara Sannipatha Jwara
	The synonym of maricha is : Viswa Bheshajam Trikatuku	(B) (B)	Nagaram Dharmapattanam
	The following yoga contains silajit - Arogyavardhini Silajitwadi vati	(B)	Chandra Prabhavati All of these
100. (A)	Action of Mareecha as per Sarangdh Resana Pramaadhi	ara san (B) (D)	nhita - Yogavahi Vyavayi karma
101. (A) (C)		(D)	Dhatu samyam Srotho sodhanam
(A)	The stage in which raktha moksham Sannni patha jwaram When seetha, rooksha, snighdha and usna guna applications fail in jwaram	(B) (D)	ed in Jwaram is  Vatha kapha jwaram  None of these
	The best sama dravya in 'jeerna jwar Jala Taila	ra' is : (B) (D)	Ksheera Madhu
104.	Statement (A) Laghanam should be Amavatham Reason (R) decreases A Both are right (R) Reason is correct		Both are right (R) Reason is
(C)	(A) Right (R) Wrong	(D) ·	not correct (A) Wrong (R) Wrong

105. Varjya Switra Lakshanas -	~/	
(A) Anagni Dhagtaja	(B)	Guhya jatam
(C) Achirandhanam	(D)	All of these
106. Manidharana belongs to which t	ype of trea	tment?
(A) Yakthi vyapashraya	(B)	Deiva Vyapashraya
(C) Satvavajaya	(D)	All of these
107. Best kushtahara dravya is:		
(A) Nimba	(B)	Vidanga
(C) Aragvada	(D)	Khadira
108. Treatment to be given in Athisar	a -	•
(A) Stampana	(B)	Apatarpana
(E) Both (A) and (B)	(D)	None of these
109. , Vidaryadhy ghrutham is indicate	od in	
(A) Vatha kasam	(B)	Pitta kasam
(C) - Kapha kasam	(D)	Sannipatha kasam
•		•
110. The arsas which appear on the sl		<u> </u>
(A) Granthi	(B)	Chipya Kadara
(C) Charmakeela	(D)	Nadara
111. Statement (A) Nitya virechanam	-	_
Reason (R) Accumulation of do		
(A) Both are right (R) Reason is correc	t (B)	Both are Right (R) Reason is
(C) (A) Right (R) Wrong	(D)	not Correct (A) Wrong (R) Right
(C) (A) Right (R) Wrong	(D)	(A) Wrong (R) Right
112. Neelika is		
(A) Kshudra Kushtam	(B)	Pra meha pidaka
(C) Maha kushtam	SON	Kshudra rogam
113. Takrarishtam is used in	disease.	
(A) Arsas	(B)	Utavartham
(C) Pandu	(D)	Amlapittam
		,
•		

		Milk is indicated in Madathiyas bed		
		As it is Jeevanam	(B)	As it is Vathapittaharam
,	(92)	As it engenders ojas	(D)	None of these
1	115.,	is one of the best ghru	itham i	n apasmara.
j	(A)	Bhrami ghrutham	(B)	Amurtha prasa ghrutham
	(C)	Kooshmanda ghrutham	(D)	Indukantha ghrutham
1	116.	Bola parpati is prescribed in		•
	(A)	Raktha pittam	(B)	Jwaram
	• •	Raktha pradaram	æŚ	Both (A) and (B)
1	117.	Avipathikara choornam is one of th	e best z	medicine for
		Raja yakshma	(B)	Amla pitta
	(C)	Pakwadhi saram	(D)	None of these
1	118.	In accordance with susrutha, stoully	yam an	d karsyam are the affliction
		of		•
	(A)	Rasa dhatu	(B)	Raktha Dhatu
	(C)	Mamsa Dhatu	D	Medo Dhatu
1	119.	The number of Anuvasana vasthyas	menti	oned in Kalavasthy is
	119. (A)		menti	oned in Kalavasthy is
			mentic (D)	oned in Kalavasthy is 9 5
1	(A)	18	(D)	9 5
1	(A) (C)	18 3	(D)	9 5
1	(A) (C)	18 3 The best anupanam for snehapanar	(D) n is	5
1	(A) (C) (20. (A)	18 3 The best anupanam for snehapanar Mandam	(B) (D) m is (B) (D)	9 5 Yoosham Vilepi
1	(A) (C) (20. (A)	18 3 The best anupanam for snehapanar Mandam Ushna Jalam According to Charaka, the types of	(B) (D) m is (B) (D)	9 5 Yoosham Vilepi
1	(A) (C) (20. (A) (Z)	18 3 The best anupanam for snehapanar Mandam Ushna Jalam According to Charaka, the types of 2	(B) (D) m is (B) (D)	Y.oosham Vilepi
1	(A) (C) (20. (A) (C) (A) (A) (C)	18 3 The best anupanam for snehapanar Mandam Ushna Jalam According to Charaka, the types of 2	(B) (D) n is (B) (D) vasthy	Yoosham Vilepi are -
1	(A) (C) (20. (A) (C) (A) (A) (C)	The best anupanam for snehapanar Mandam Ushna Jalam  According to Charaka, the types of 2	(B) (D) n is (B) (D) vasthy	Y.oosham Vilepi
1	(A) (C) (20. (A) (Q) (A) (A) (C) (C)	The best anupanam for snehapanar Mandam Ushna Jalam  According to Charaka, the types of 2 4  The action of Upanaha Swedam is	(B) (D) n is (B) (D) vasthy	Yoosham Vilepi are -
1	(A) (C) (20. (A) (Z) (A) (C) (A) (C)	The best anupanam for snehapanar Mandam Ushna Jalam  According to Charaka, the types of 2 4  The action of Upanaha Swedam is Jridosha samakam	(B) (D) m is(B) (D) vasthy (D) (D)	Yoosham Vilepi are - 3 5 Vathaghnam Kaphaghnam
1 1	(A) (C) (20. (A) (D) (A) (C) (A) (C) (A) (C) (A) (C)	The best anupanam for snehapanar Mandam Ushna Jalam  According to Charaka, the types of 2 4  The action of Upanaha Swedam is Jridosha samakam Pittaghnam	(B) (D) m is(B) (D) vasthy (D) (D)	Yoosham Vilepi are - 3 5 Vathaghnam Kaphaghnam

•			
	124., How many types of bala avastha are	e there?	
	(A) 3 (C) 5	(B) (D)	4 8
	(-/ -	. ,	
	125. The medicine used in new born chi (A) Pancha guna thailam	(B)	Jatiadhy thailám
	(C) Arimedathi thailam	(10)	Bala thailam
	126. The asadhya varieties of disease sai	id in yo	ni roga are -
•	(A) Shandini and Andali	(B)	Viplutha and Pariplutha
	(C) Acharana and Athicharana	(D)	All of these
	127. Statement (A): Ghee is the best sub		
	Reason (R): As it has got Samskar  (A) Both are right (R) Correct answer	(B)	Both are Right (R) is not
	(C) (A) Dight (D) Wagan	$\langle \mathcal{D} \rangle$	CORRECT (A) Whose (B) Right
	(C) (A) Right (R) Wrong	(D)	(A) Wrong (R) Right
	128. When does the ojas appear in the fo		7th month
	(A) 6th month (C) 8th month	(B) (D)	During delivery
	129. The reason for bleeding of gums is		. :
	(A) Carotamalacia	· (B)	Rickets
	(C) Scurvy	(D)	Tuberculosis
	130. How many Balagrahas have been to	old by S	Sushrutha?
	(A) 5 (C) 8	(B) (D)	7
	131. The reason for Sadya vranam is (A) Vatha	·	Pitt2
	(C) Kapha	(B)	Sastra
	132. The important yantram is		
	(A) Vasthy	(B)	Swasthika
	(C) Thala	(D)	Hastha
			•

133.	The reason for Unmargi Bhagandha	ram is	·
	Vatha Prakopam	(B)	Pilta Prakopam
(C)	-	Œ	The bones ingested gets
` '			obstructed at the rectum
134.	Puyam, Dushta raktha, Chirasthithi	are see	en in which type of vrana?
(14)	Dushta vrana	(13)	Sadhya vrana
(C)	Agantuja vrana	(D)	None of these
	The type of bandha to be used is on		
(A)		(B)	Swasthika
JOS)	Vidanam	(D)	Kosham
127	The dealer and dealers against in a	المحمد المال	
136.	, 00		
` '	Vatha pitha Rasa		Vatha pitha Kapha
(C)	Tridosha Raktha mamsa	(D)	Pitha Rasa Raktha
137.	number of vrana bandha	s are sa	aid by Susrutha.
(A)	11	(B)	12
jes	14	(D)	15
<b>/</b> ()		(2)	
138.	Nimbady Choornam is applied in _		· ·
(A)	Kushtam	(B)	Swithram
(C)	Visarpam	(D)	Valmeekam
139.	Bala is known as -		
(A)	Exercise	(B)	Body strength
(C)	Hair	(D)	Cedrus cordifolia
	Sangraha grahani can be treated wit		
	Hamsa pottali rasa	(B)	Panchamrutha parpaty rasa
(C)	Kravyatha rasa	(D)	Leelavilasa rasa
141.	In "Sanninatha iwaram sinala	desc	can ha civan
(A)	In "Sannipatha jwaram single Pippali	_	Gudoochy
(A)	Vishnakranthi	(B) (D)	Ativisha
	v isimarianum	(D)	13 (17 13 11 11

142.	Indbukantha ghritam is for -		
(A)	Vatha sonitha	(B)	Visarpa
(C)	Kushta	(D)	Vatha vyady
143.	This karmam should be done in Kap	hadisa	iram -
(A)	Sthambanam	(B)	Samgrahi
je)	Amapachanam	(D)	None of these
,			
144.	Dugdhavti is indicated in -		
(AY)	Sodha Roga	(B)	Vatha Roga
(C)	Pitha Roga	(D)	Kapha Roga
	•		
145	When the contribution to account and the		n.
	Vrusha gritham is mentioned in		_ Rogam.
	, 8	(B)	Timira
(C)	Jwaram	(D)	Kaamala
146	Samanayayyı playe an important role	in	
	Samanavayu plays an important role Formation of blood	285	Body metabolism
(A) (C)		(D)	All of these
(C)	Cline formation	(D)	All of these
147.	Taking medicine oushadha in the m	iddle o	of the meal is:
(At	<b>∕</b> `. ∠ 11	(B)	Samudgha
(C)		(D)	Adobhaktha
(-)		(~)	
148.	is NOT mentioned in swa	sa chik	atsa.
(A)		(B)	Sneha vasthy
(C)		(D)	Samana Karmam
	·	. ,	
149.	Kalyanaka gritham is good for which	n disea	ge ?
(A)	Jwaram	(B)	Kamala
(C)	Krimi ·	(D)	Udaram
			•
	In Prameha pidaka is good.		
(A)	3	(B)	Vrana chikitsa is good
(C)	Shopha chikitsa is good		Thikshna shodana is good
4 2 4	Vandana anatha a u u u c		
151.		10	M. W.
(A)		(B)	Mamsa dhatu
. (C)	Medho dhatu	(D)	Raktha dhatu
		,	

	Arshas Kusta roga	(B) (B)	Chardhi Parinama shoola
(A)	Embryo in first month is known as - Pinda Pesi	(B) (D)	Arbuda Kalala
(A)	In which disease treatment 'Dhanwa Yatham Prameham	nthara (B) (D)	Gritham' is explained? Moothragatha Pandu
/	According to Susrutha the Menstruat 12 to 50 yrs 10 to 40 yrs	ion ag (B) (D)	e is: 12 to 24 yrs 20 to 40 yrs
· JAS	The "Makkala" is - Post delivery pain, due to blood getting obstructed due to vayu Prolapsed uterus	(B) (D)	Retained Placenta  None of these
	For the effect of Vajeekarana, the see mercury and covered with gold is: Applied as a paste to the sole of the foot Kept in the mouth	d of bl (B) (D)	hruhat karanja filled with  Kept in the penis  Pasted over the umbilicus
SAY	A paste of kusumbha thaila mixed wifeet to retain semen. Powdered earthworm Cow's urine	(B) (D)	_ is pasted on the sole of the  Powdered gokshira  Boar's fat
(A)	Anyathovatha is a - Shiro roga Karna Roga	(B)	Dauta Roga Nekra Roga
(A) ·	The distance between karna and apa 10 Angulas 4 Angulas	nga is (B) (D)	: 5 Angulas 6 Angulas

.

161.	Sira vyadha is done either four angu	las abo	ve or below the knee joint in -
(A)	Krostuka sheersha	(B)	Pleehodara
(C)	Udara shoola	(B)	Griddrasi
162.	The shastra which has 8 spiked face		
( A 2	accumulated blood inside the nose i		
(8)	Khaja Shastra	(B)	Suchi Shastra
(C)	Esani	(D)	Ara
. 163.	According to Astanga sangraha, the	most in	nportant yantra is :
(A)	Salaka yantra	(B)	Kankamukha yantra
(C)	Tala yantra	(D)	Nadee yantra
164.	Which of these following statements Carmadala:	are tru	ie?
(A)	Has not been described by Charaka,	(B)	It appears only in children who
,	Susrutha and Vagbhata	` ,	consume milk
. (C)	It is of 4 types	DOY	All of these
165.	Purgation of the oushadha dravyas o	during	the process of vamana is a -
(A)		(B)	Heena yoga lakshana
(C)	Athi yoga lakshana	(D)	Mithya yoga lakshana
166.	The patient can be subjected to vire	chana (	daily in rogas.
(A)	Kanta roga	(B)	Udara
(C)	Pravahika	(D)	Mootra krichra
(0)	Tavanna	(2)	THOO LEA MILETIA
167.	,	gation	
(A)	Avapidaka nasya	(B)	Pradhamana nasya
(C)	Marsha nasya	(D)	Prathimarsha nasya
168.	Ardhamatrika bhasthi -		
(A)	Is done on the lines of sneha bhasthi	(B)	Is almost the same as karhaya
` '		` ,	bhasthi
(C)	Does not require 'Poorva Karmas' and	ODT.	Both (B) and (C)
	food restrictions		
169.	The bhasthi which produces enlarge mild increase of doshas is:	ement (	of the abdomen and results in
(A)	Uttara Bhasthi	<b>(B)</b>	Lekhana Bhasthi
\ /	Sneha Bhasthi	(D)	Bhrumhana Bhasthi

,

(A)	According to acharya charaka, the Shamana, Stambana, Chedana,	(B)	Langhana , Lekhana , Bhedana,
(2.1)	Seevana, Swedana and Snehana	(2)	Bhrimhana, Snehana and
	4		Swedana
105	Langhana, Bhrimhana, rookshana,	. (D)	Snehana, Swedana, Vamana,
<i>y</i> -1	Snehana, Swedana and Stambana	(-)	Virechana, Rasya and Stambana
171.	Wrist drop is associated with -		
(A)	. Median nerve palsy	(B)	Axillary nerve palsy
(E)	Radial nerve palsy	(D)	Ulnar nerve palsy
172.			
(X)	Bhasmaka vyadhi	(B)	Amla pitta
(C)	Chardhi	(D)	Vishoochika
173.	The best shamana dravya for pitta	vikaras	
(A)	Madhu	(B)	Ghritha
(C)	Taila	(D)	Virechana
174.	. The best drug to be used in 'Ganda	amala' i	s:
$(\Lambda)$	Kanchanara	(B)	Gokshura
(C)	Amalaki	(D)	Haridra
175.	An ideal drink to relieve pain in the	abdon	ien is :
(A)	Takra with thailas	(B)	Ksheera with yavakshara
(C)	Dadhi with ghrìtha	D	Takra with yavakshara
	According to Acharya Kashyapa th	e impor	tant chikitsa for 'Arakilika' is:
(A)	Kshara karma	(B)	Swedhana
(C)	Vasthi	(D)	Vamana
177.	The Indication of "Mayura ghrita"	is:	
(A)	Mukha roga	(B)	Netra roga
(8)	Siro roga	(D)	Karna roga
178.	Deepta Roga is a -		
(A)	Karna roga	(B)	Dontamulagatha roga
(C)	Netra roga	(DY	Nasa roga

· .

1		The indication of Pitaka churna is:	/D)	Ci
/	10	Mukha roga Nasa roga	(B) (D)	Siro roga Karna Roga
	(C)	Nasa 10ga	(D)	Katila Roga
		According to Charaka, dosa in "San		
	-	*		Vata + Pitta + Raktha
	(C)	Kapha + Pitta + Raktha	(D)	Vata + Pitta + Kapha
1	181.	According to Astanga Hrudayam, the kurcha' -	e meas	surement of 'Danta dhavana
	(A)	10 Angulas	OBS	12 Angulas
		8 Angulas	(D)	12 Angulas 11 Angulas
		Kshara Paayana Should be performed	_	Mamas Chadana
	$(\Lambda)$	Sirovedha Asthichedana	(B) (D)	Mamsa Chedana All of these
/	<i>(</i> -7	Astinchedana	(D)	VIII OT HIERE
		If constipation occurs in vatika sodh	a the t	
	` '	Šneha virechana	(B)	Niraha vasty
	(C)	Anuvasana vasthy	(D)	None of these
1	184.	Which of one following is medhya?		
		Mandooka parni	(B) _	Guduchi
	(C)	Madu yashti	(B)	All of these
1	185	The phalaprasana period, according	to Kas	yana is ·
		4th month	AS .	6th month
	. ,	8th month	(D)	10th month
	(-)		(-)	
1	186.	Susrutha has explained numb		treatments in vruna roga.
	(A)	60	(B)	7
	(C)	50	(D)	25
1	187.	Charaka explains types of Star	ıya Du	eshti.
	(A)		(B)	7
			(D)	9
j .	100	How many times of and discount	t	and has I alsh and largers 2
	(A)	How many types of eye diseases can	B)	11
	(C)		(D)	7
	(-)	-	(~)	•

	189.	In Arma disease occurs	s.	•
	(A)	I Patala	(B)	III Patala
	(C)	IV Patala	(12)	None of these
	(0)			
	190.	nasal diseases are there		
	(A)		ass	31
	` ′	21	(D)	41
	(C)	21	(D)	71
	191	The other name of 'Budbuda' is		
		Netra	(B)	Pakshma
	(C)	Drushty	(D)	Patala
	(13)	Diamity	(2)	
	192.	Which of the anjana can be used dai	ly?	
		Pushpanjanam	(DB)	Sowveeranjanam
	(Ċ)	Rasanjanam	$\hat{\omega}$	Neelanjanam
	(0)		(-)	<u> </u>
	193.,	Which are the doshas innolved in 'A	peenas	am'?
		Vatha and Kapha	(B)	
	(C)	Pitta and Kapha	(D)	Thridosham
	(-)		( )	
	194.	Anantha vatham is the disease of -	• •	
	(A)	Vata vyadhi	(B)	Eye
		Head	(D)	Nose
	195.	Deepika thailam is used for,	,	
		Karna soolam	(B)	Sira soolam
•	(C)	Eye disease	(D)	All of these
	( -/	_,	(-)	
	196.	The disease in which vilwa thailam i	s being	g used is
		Netra rogam	(B)	=
	. ,	Karma rogam	(D)	Kanta Rogam
			(-)	8
	197.	At all times the ghee can be taken ex	cept o	ne. Name that.
	JAY	Navaprathi syayam	(B)	Peenasa rogam
		Dushta Prathisayam		None of these
	( )		( )	
	198.	In Abhyantara Raktha Vidhradi, whi	ich of t	he following statement is
		NOT true?		6
	CAT	Disease occuring in males	(B)	Disease occuring in abdomen
	(C)	The other name is makkallam and thus	(D)	Thirst and fever are the
	(-/	occuring in women only	()	symptoms
				.,
				,

	How many are the	types of Arbuda?	
(A)	8	(B)	6
(C)	4	. (D)	3
<b>360</b>	13771 · 1	' NOTO (	
200.	-	mptom is NOT found	in Sandhi muktha and Ka
	-bagnam ?		
(A)	Sound	(B)	Pain
X-1/	Tenderness	(D)	Swelling
(C)	Tenderness	` ,	
(C)	Tenderness	, ,	